







TECHNICAL SPECIFICATIONS FOR **ERGODRIVE LET-OFF** INSTALLATION
DORNIER loom specs

CUSTOMER:
.....
.....
.....
.....

AGENT:
.....
.....
.....
.....

LOOM: **DORNIER** YEAR: SERIAL N°:

TYPE:		VERSION:			LOOM WIDTH:			
<input type="checkbox"/> GTN	<input type="checkbox"/> GTV	<input type="checkbox"/> Dobby	<input type="checkbox"/> 150	<input type="checkbox"/> 180	<input type="checkbox"/> 190			
<input type="checkbox"/> GTV	<input type="checkbox"/> HTV	<input type="checkbox"/> Jacquard STÄUBLI JC4	<input type="checkbox"/> 200	<input type="checkbox"/> 210	<input type="checkbox"/> 220			
<input type="checkbox"/> HTN	<input type="checkbox"/> HTV	<input type="checkbox"/> Jacquard STÄUBLI JC5	<input type="checkbox"/> 230	<input type="checkbox"/> 240	<input type="checkbox"/> 250			
<input type="checkbox"/> PST		<input type="checkbox"/> Jacquard BONAS S250	<input type="checkbox"/> 260	<input type="checkbox"/> 270	<input type="checkbox"/> 280			
<input type="checkbox"/>		<input type="checkbox"/> Jacquard BONAS IBJ2 – S500	<input type="checkbox"/> 290	<input type="checkbox"/> 300	<input type="checkbox"/> 330			
<input type="checkbox"/>		<input type="checkbox"/> Jacquard GROSSE EJP-2HS	<input type="checkbox"/> 340	<input type="checkbox"/> 360	<input type="checkbox"/> 400			
ELECTRONIC BOX:		<input type="checkbox"/>  WMS9	<input type="checkbox"/>  DU	<input type="checkbox"/>  EDU	<input type="checkbox"/>  AT Panel1	<input type="checkbox"/>  AT Panel2	<input type="checkbox"/>  FT	
3PH POWER SUPPLY:	 V	<input type="checkbox"/> 50 Hz	<input type="checkbox"/> 60 Hz				
LOOM SPEED RPM:		MIN.	MAX.					
WEFT DENSITY /CM:		MIN.PPCM	MAX.PPCM	/INCH:	MIN.PPI	MAX.PPI		
PREFERRED WEFT DENSITY /CM:		MIN.PPCM	MAX.PPCM	/INCH:	MIN.PPI	MAX.PPI		
YARN TYPE:		<input type="checkbox"/> Cotton	<input type="checkbox"/> Wool	<input type="checkbox"/> Pure silk	<input type="checkbox"/> Synthetic	<input type="checkbox"/> Polypropylene Polyethylene	<input type="checkbox"/> Kevlar Carbon	<input type="checkbox"/> other
WARP COUNT:		from		to				
WEFT COUNT:		from		to				
N° OF WARP ENDS:				MAX. TENSION PER END cN:				
WEAVING PATTERN:		<input type="checkbox"/> 1/1	<input type="checkbox"/> 2/1	<input type="checkbox"/> 3/1	<input type="checkbox"/> 4/1	<input type="checkbox"/>		
CRAMMING FUNCTION:		<input type="checkbox"/> No		<input type="checkbox"/> Yes				
EXISTING WARP LET-OFF:		<input type="checkbox"/> HUNT Mechanical		<input type="checkbox"/> DORNIER Dotronic		<input type="checkbox"/> other		
DIFFERENTIAL:		<input type="checkbox"/> with *		<input type="checkbox"/> without				
No. PINION TEETH:		<input type="checkbox"/> 14	<input type="checkbox"/> 17	<input type="checkbox"/> 20	<input type="checkbox"/> 45	<input type="checkbox"/> 15/24 + 40/178 *		
No. W. BEAM WHEEL TEETH:		<input type="checkbox"/> 124	<input type="checkbox"/> 145	<input type="checkbox"/> 150	<input type="checkbox"/> 165	<input type="checkbox"/> 188	<input type="checkbox"/> 178 *	
WARP BEAM FLANGE MM:		<input type="checkbox"/> 700	<input type="checkbox"/> 800	<input type="checkbox"/> 940	<input type="checkbox"/> 1000	<input type="checkbox"/> 1016	<input type="checkbox"/> 1100	
BEAM BARRELL DIAM. MM:		<input type="checkbox"/> 140	<input type="checkbox"/> 150	<input type="checkbox"/> 160	<input type="checkbox"/> 190	<input type="checkbox"/> 210	<input type="checkbox"/> 270	
Let-off from Creel - DUMMY BEAM DIAM. MM:		<input type="checkbox"/> 409	<input type="checkbox"/> 413	<input type="checkbox"/> ...				

