

## TECHNICAL SPECIFICATIONS FOR **ERGODRIVE** TAKE-UP INSTALLATION DORNIER loom specs




CUSTOMER: .....  
.....  
.....  
.....  
.....

AGENT: .....  
.....  
.....  
.....  
.....

LOOM: DORNIER      YEAR: .....      SERIAL N°: .....

<b>TYPE:</b>		<b>VERSION:</b>		<b>LOOM WIDTH:</b>		
<input type="checkbox"/> GTN	<input type="checkbox"/> GTV	<input type="checkbox"/> Dobby		<input type="checkbox"/> 150	<input type="checkbox"/> 180	<input type="checkbox"/> 190
<input type="checkbox"/> HTN	<input type="checkbox"/> HTV	<input type="checkbox"/> Jacquard STÄUBLI JC4		<input type="checkbox"/> 200	<input type="checkbox"/> 210	<input type="checkbox"/> 220
<input type="checkbox"/> GWE	<input type="checkbox"/> .....	<input type="checkbox"/> Jacquard STÄUBLI JC5		<input type="checkbox"/> 240	<input type="checkbox"/> 260	<input type="checkbox"/> 270
		<input type="checkbox"/> Jacquard BONAS IBJ2		<input type="checkbox"/> 280	<input type="checkbox"/> 290	<input type="checkbox"/> 300
		<input type="checkbox"/> Jacquard GROSSE EJP-2HS		<input type="checkbox"/> 360	<input type="checkbox"/> 400	<input type="checkbox"/> .....
<b>ELECTRONIC BOX:</b>		<input type="checkbox"/> WMS 9	<input type="checkbox"/> EDU	<input type="checkbox"/> AT		
<b>3PH POWER SUPPLY:</b>		..... V	<input type="checkbox"/> 50 Hz	<input type="checkbox"/> 60 Hz		
<b>LOOM SPEED RPM:</b>		MIN. ....	MAX. ....			
<b>WEFT DENSITY /CM:</b>		MIN. .... PPCM	MAX. .... PPCM	<b>/INCH:</b>	MIN. .... PPI	MAX. .... PPI
<b>PREFERRED WEFT DENSITY /CM:</b>		MIN. .... PPCM	MAX. .... PPCM	<b>/INCH:</b>	MIN. .... PPI	MAX. .... PPI
<b>YARN TYPE:</b>	<input type="checkbox"/> Cotton	<input type="checkbox"/> Wool	<input type="checkbox"/> Pure silk	<input type="checkbox"/> Synthetic	<input type="checkbox"/> Polypropylene	<input type="checkbox"/> other
<b>WARP COUNT:</b>		from .....		to .....		
<b>WEFT COUNT:</b>		from .....		to .....		
<b>N° OF WARP ENDS:</b>			<b>MAX. TENSION PER END cN:</b>			
<b>WEAVING PATTERN:</b>		<input type="checkbox"/> 1/1	<input type="checkbox"/> 2/1	<input type="checkbox"/> 3/1	<input type="checkbox"/> 4/1	<input type="checkbox"/> .....
<b>CRAMMING FUNCTION:</b>		<input type="checkbox"/> No		<input type="checkbox"/> Yes		
<b>EXISTING WARP LET-OFF:</b>		<input type="checkbox"/> ERGOTRON Tendilene		<input type="checkbox"/> ERGOTRON KAERG		<input type="checkbox"/> ERGOTRON ERGODRIVE
		<input type="checkbox"/> HUNT Mechanical		<input type="checkbox"/> DORNIER Dotronic		<input type="checkbox"/> other .....
<b>TAKE-UP ROLLER MM:</b>		<input type="checkbox"/> 175	<input type="checkbox"/> 138			
<b>TAKE-UP GEARS:</b>		<input type="checkbox"/> 14:68	<input type="checkbox"/> 14:64			
Indicate which gears are available		<input type="checkbox"/> 14:48	<input type="checkbox"/> 14:40			
		<input type="checkbox"/> .....	<input type="checkbox"/> .....			
<b>WHIPROLL BRACKET:</b>		<input type="checkbox"/> Normal		<input type="checkbox"/> Top beam	Fill also page 2	

TECHNICAL SPECIFICATIONS FOR **ERGODRIVE** TAKE-UP INSTALLATION  
**DORNIER loom specs****Dornier whiproll support specification**

<input type="checkbox"/>	<b>Pos.: 1</b>	<b>Code: 00 PM 45D0S 14</b>	<b>Description:</b> Support for single whiproller.
			IF HOLES ARE NOT PRESENT THEY WILL BE DRILLED DURING INSTALLATION.
<input type="checkbox"/>	<b>Pos.: 2</b>	<b>Code: 00 PM 45D0S 15</b>	<b>Description:</b> Support predisposed for double whiproller.
			IF HOLES ARE NOT PRESENT THEY WILL BE DRILLED DURING INSTALLATION.
<input type="checkbox"/>	<b>Pos.: 3</b>	<b>Code: 00 PM 45D0S 17</b>	<b>Description:</b> Support complete with double whiproller.
			IF HOLES ARE NOT PRESENT THEY WILL BE DRILLED DURING INSTALLATION.
<input type="checkbox"/>	<b>Pos.: 4</b>	<b>Code: 00 PM 45D0S 16</b>	<b>Description:</b> Loom with no. 1 Dotronic on bottom beam.
<input type="checkbox"/>	<b>Pos.: 5</b>	<b>Code: 00 PM 45D0S 20</b>	<b>Description:</b> Loom with no. 2 Dotronic on bottom and top beams.

TECHNICAL SPECIFICATIONS FOR **ERGODRIVE** TAKE-UP INSTALLATION  
**DORNIER loom specs**

**Photos**

In order to make proper installation need to have at least the following photos:

PHOTO 1:	PHOTO 2:	PHOTO 3:
