










TECHNICAL SPECIFICATIONS FOR *ERGOfeeder* INSTALLATION
DORNIER loom specs

CUSTOMER:
.....
.....
.....
.....

AGENT:
.....
.....
.....
.....

LOOM: **DORNIER** YEAR: SERIAL N°:

TYPE:		VERSION:		LOOM WIDTH:			
<input type="checkbox"/> GTN	<input type="checkbox"/> GTV	<input type="checkbox"/> Dobby		<input type="checkbox"/> 150	<input type="checkbox"/> 180	<input type="checkbox"/> 190	
<input type="checkbox"/> GTV	<input type="checkbox"/> HTV	<input type="checkbox"/> Jacquard STÄUBLI JC4		<input type="checkbox"/> 200	<input type="checkbox"/> 210	<input type="checkbox"/> 220	
<input type="checkbox"/> HTN	<input type="checkbox"/> HTV	<input type="checkbox"/> Jacquard STÄUBLI JC5		<input type="checkbox"/> 230	<input type="checkbox"/> 240	<input type="checkbox"/> 250	
<input type="checkbox"/> PST		<input type="checkbox"/> Jacquard BONAS S250		<input type="checkbox"/> 260	<input type="checkbox"/> 270	<input type="checkbox"/> 280	
<input type="checkbox"/>		<input type="checkbox"/> Jacquard BONAS IBJ2 – S500		<input type="checkbox"/> 290	<input type="checkbox"/> 300	<input type="checkbox"/> 330	
<input type="checkbox"/>		<input type="checkbox"/> Jacquard GROSSE EJP-2HS		<input type="checkbox"/> 340	<input type="checkbox"/> 360	<input type="checkbox"/> 400	
ELECTRONIC BOX:		<input type="checkbox"/>  WMS9	<input type="checkbox"/>  DU	<input type="checkbox"/>  EDU	<input type="checkbox"/>  AT Panel1	<input type="checkbox"/>  AT Panel2	<input type="checkbox"/>  FT
3PH POWER SUPPLY:		... V	<input type="checkbox"/> 50 Hz	<input type="checkbox"/> 60 Hz			
LOOM SPEED RPM:		MIN. PPM	MAX. PPM	RAPIER: <input type="checkbox"/> double <input type="checkbox"/> single			
WEFT DENSITY / CM:		MIN.PPCM	MAX.PPCM				
YARN TYPE:		<input type="checkbox"/> Synthetic	<input type="checkbox"/> Polypropylene Polyethilene	<input type="checkbox"/> Kevlar Carbon	<input type="checkbox"/> other		
WEFT COUNT:		from to					
CRAMMING FUNCTION:		<input type="checkbox"/> No	<input type="checkbox"/> Yes				
SPOOL INTERNAL DIAMETER MM:		<input type="checkbox"/> 75	<input type="checkbox"/> 90	SPOOL EXTERNAL DIAMETER MM: <input type="checkbox"/> 135 <input type="checkbox"/> 150			
FULL SPOLE WEIGHT KG:		<input type="checkbox"/> <2,5	<input type="checkbox"/> <3,5	<input type="checkbox"/> ...			
FABRIC WIDTH MM:		<input type="checkbox"/> <1000	<input type="checkbox"/> <1500	<input type="checkbox"/> <2000	<input type="checkbox"/> <2500	<input type="checkbox"/> <3000 <input type="checkbox"/>	
HOLES ON LOOM SIDEWALL NEAR MAIN SHAFT:		with 2 holes					
		<input type="checkbox"/> 00 PM 72DOS 01	<input type="checkbox"/> 00 PM 72DOS 03 if top beam exists				
		without holes					
		<input type="checkbox"/> 00 PM 72DOS 02	<input type="checkbox"/> 00 PM 72DOS 04 if loom shaft not accessible				
		<input type="checkbox"/> 00 PM 72DOS 09 if shaft is missing					